

	Type	Hits	Search Text	DBs
1	BRS	9	"455".clas. and (@ad<="20030623") and (qos or (quality adj of adj service)) and (base\$3 or respons\$5) and (load\$3 near3 condition) and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	0	"455".clas. and (@ad<="20030623") and (qos or (quality adj of adj service)) and (base\$3 or respons\$5) and (load\$3 near3 condition) and (threshold adj requirement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	0	"455".clas. and (@ad<="20030623") and (qos or quality adj of adj service) near5 (base\$3 or respons\$5) near5 (metric\$1 or parameter\$1) near5 (threshold adj requirement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	"455".clas. and (@ad<="20030623") and (qos or quality adj of adj service) and (base\$3 or respons\$5) and (load\$3 near3 condition) and (threshold adj requirement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	"455".clas. and (@ad<="20030623") and (qos or quality adj of adj service) with (base\$3 or respons\$5) with (metric\$1 or parameter\$1) with (threshold adj requirement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	0	"455".clas. and (@ad<="20030623") and (qos or quality adj of adj service) same (base\$3 or respons\$5) same (metric\$1 or parameter\$1) same (threshold adj requirement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	"455".clas. and (@ad<="20030623") and (qos or quality adj of adj service) and (base\$3 or respons\$5) and (metric\$1 or parameter\$1) and (threshold adj requirement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L7	0	"455".clas. and (@ad<="20030623") and (quality adj of adj service) with (load\$3 adj (condition or metric\$1 or parameter\$1))	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2007/10/2 5 12:49	
2	BRS	L8	0	"455".clas. and (@ad<="20030623") and (quality adj of adj service) same (load\$3 adj (condition or metric\$1 or parameter\$1))	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2007/10/2 5 12:49	
3	BRS	L9	0	"455".clas. and (@ad<="20030623") and (quality adj of adj service) and (load\$3 adj (condition or metric\$1 or parameter\$1))	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2007/10/2 5 12:50	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	BRS	L10	0	"455".clas. and (@ad<="20030623") and (quality adj of adj service) with (bas\$4 or respon\$4) with (load\$3 adj (condition or metric\$1 or parameter\$1))	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2007/10/2 5 12:52	
5	BRS	L11	0	"455".clas. and (@ad<="20030623") and (quality adj of adj service) with (bas\$4 or respon\$4) with (load\$3 near3 (condition or metric\$1 or parameter\$1))	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2007/10/2 5 12:53	
6	BRS	L12	3	"455".clas. and (@ad<="20030623") and (quality adj of adj service or qos) with (bas\$4 or respon\$4) with (load\$3 near3 (condition or metric\$1 or parameter\$1))	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2007/10/2 5 13:33	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L13	9	"455".clas. and (@ad<="20030623") and (quality adj of adj service or qos) same (bas\$4 or respon\$4) same (load\$3 near3 (condition or metric\$1 or parameter\$1))	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2007/10/2 5 14:20	
8	BRS	L14	3	(quality adj of adj service or qos) with (bas\$4 or respon\$4) with (load\$3 near3 (condition or metric\$1 or parameter\$1)).clm.	US- PGPUB	2007/10/2 5 14:20	